

YUKON SNOW SURVEY BULLETIN & WATER SUPPLY FORECAST

April 1, 2010

Prepared and issued by:
Water Resources Branch
Environment Yukon



PREFACE

The Yukon Snow Survey Bulletin and Water Supply Forecast is prepared and issued three times annually - after March 1, April 1 and May 1 - by Environment Yukon's Water Resources Branch. The bulletin provides a summary of winter meteorological and streamflow conditions for Yukon, as well as current snow depth and snow water equivalent observations for 56 locations. This information is used to make projections of total volume runoff for the summer period, and an estimate of peak flow for the main river basins and sub-basins including the: upper and lower Yukon, Pelly, Stewart, Liard, Alsek, Porcupine and Peel Rivers. Information about the bulletin, snowpack conditions or streamflow projections can be obtained by contacting:

Richard Janowicz
Manager, Hydrology
(867) 667-3223
richard.janowicz@gov.yk.ca

NETWORK CHANGES for 2010

There have been no network changes in 2010. This bulletin can now be accessed on the web at http://environmentyukon.gov.yk.ca/monitoringenvironment/snow_survey.php

ISSN 1705-883X

It is recommended that reference to this report be made in the following form:

Yukon Snow Survey Bulletin and Water Supply Forecast
Water Resources Branch
Dept. of Environment
Government Of Yukon
Box 2703, Whitehorse, Yukon Y1A 2C6

ACKNOWLEDGMENTS

The Yukon Snow Survey Bulletin and Water Supply Forecast is published three times annually, after March 1, April 1, and May 1, as part of the Yukon Snow Survey Program, by the Water Resources Branch, Department of Environment, Government of Yukon.

Other agencies that contribute significantly to the Snow Survey Program by providing data, assistance and information for the bulletin are:

Meteorological Service of Canada, Whitehorse
Supervisor, Technical Programs

Officer in Charge, Water Survey of Canada, Whitehorse.

Agencies cooperating with Environment Yukon in the Snow Survey Program are:

Client Service and Inspections Branch, Yukon Department of Energy Mines and Resources

Information Management and Technology, Yukon Department of Environment

B.C. Ministry of Environment, Water Stewardship Division

USDA Natural Resources Conservation Service

Yukon Department of Highways and Public Works

Parks Canada

The Yukon Energy Corporation

YUKON TERRITORY SNOWPACK CONDITIONS AND RUNOFF PROJECTION

WEATHER

WEATHER


March temperatures throughout Yukon were generally well above normal with temperature deviations ranging from two degrees in western and south central regions to six degrees in the north Klondike region. March precipitation was more variable with much of central Yukon receiving amounts that were half of normal, while pockets in southwest, southeast and northeast Yukon received up to twice normal amounts.


SNOWPACK


The April 1 Yukon snowpack is generally below normal with a pocket of well below normal snowpack in the Pelly crossing and Mayo regions and the area east of Dawson. Exceptions are northern Yukon and the Faro and Ross River regions which are normal, with a pocket of above normal snowpack around Carmacks.

STREAMFLOW

Streamflow conditions within Yukon are above normal for April 1st. Streamflow during this period represents winter baseflow, which provides an indication of winter groundwater contributions.








YUKON RIVER BASIN

Snowpack conditions in the Yukon River Basin range from above normal in the Carmacks region to well below normal in the north central regions which includes Pelly Crossing and Mayo. Overall conditions are near normal.



UPPER YUKON RIVER SUB-BASIN (SOUTHERN LAKES/WHITEHORSE)

Snowpack conditions in the Upper Yukon River watershed are slightly above normal. Values range from 94 percent of normal at Atlin to 123 percent of normal at Tagish. A basin wide average has been estimated to be 112 percent of normal.




WHITEHORSE AREA


Snowpack conditions in the Whitehorse area are near normal for April 1st. Values range from 69 percent of normal at the Whitehorse Airport to 125 percent of normal at Mt McIntyre. A basin wide average is estimated to be 108 percent of normal.



**SNOW PILLOW STATION DATA
TAGISH, No: 09AA-SC1**




LAT 60° 17' LONG 134° 11'
ELEVATION 1080 metres
DRAINAGE YUKON BASIN



YUKON RIVER and MARSH LAKE



The elevation of Marsh Lake during March was 654.477 m or 0.301 m below normal. Yukon River at Whitehorse mean discharge during March was 79 percent of normal. Given normal summer meteorological conditions, volume runoff and peak flows for the season are expected to be 95 percent and 96 percent of normal respectively.





PELLY RIVER SUB-BASIN

Snowpack conditions in the Pelly River watershed are below normal. Values of snow water equivalent range from 53 percent of normal at Twin Creeks to 102 percent of normal at Hoole River. A basin wide average has been estimated to be 73 percent of normal.

Mean March streamflow for the watershed was 113 percent of normal as indicated by the Pelly River below Vangorda Creek. Given normal summer meteorological conditions, volume runoff and peak flows are expected to be 94 percent and 98 percent of normal respectively.









STEWART RIVER SUB-BASIN

Snowpack conditions in the Stewart River watershed are well below normal for April 1st. Values of snow water equivalent range from 56 percent of normal at the Mayo Airport to 77 percent of normal at Calumet. A basin wide average has been estimated to be 65 percent of normal.



Mean March streamflow for the watershed was 127 percent of normal as indicated by the Stewart River at the Mouth. Given normal summer meteorological conditions, volume runoff and peak flows for the season are expected to be 82 percent and 80 percent of normal respectively.





LOWER YUKON RIVER BASIN (DAWSON AREA)



Snowpack conditions in the Dawson area are near normal for April 1st. Values of snow water equivalent range from 88 percent of normal at King Solomon Dome to 110 percent of normal at Midnight Dome. An area wide average has been estimated to be 98 percent of normal.




LIARD RIVER BASIN

Snowpack conditions within the Liard River watershed are near normal. Values of snow water equivalent range from 89 percent of normal at Frances River to 113 percent of normal at Hyland River. A basin wide average has been estimated to be 98 percent of normal.

Mean March streamflow for the Liard River upstream of Upper Liard was 131 percent of normal. Given normal summer meteorological conditions, volume runoff and peak flows for the season are expected to be 95 percent and 93 percent of normal.




**SNOW PILLOW STATION DATA
HYLAND RIVER, No: 10AD-SC1**



LAT 61° 31' LONG 128° 16'
ELEVATION 855 metres
DRAINAGE LIARD BASIN



LIARD RIVER AT UPPER CROSSING




ALSEK RIVER BASIN

Snowpack conditions within the Alsek River watershed are near normal for April 1st. Values of snow water equivalent range from 85 percent of normal at Alder Creek to 122 percent of normal at Summit. A basin wide average has been estimated to be 105 percent of normal.

Mean monthly streamflow for March as indicated by the Alsek River above Bates River was 84 percent of normal. The Alsek River is primarily a glacial regime type, which is largely dependent on summer temperatures. Given normal summer meteorological conditions however, volume runoff and peak flows for the season are expected to be 105 and 110 percent of normal respectively.







PEEL RIVER BASIN

Snowpack conditions in the Peel River watershed are below normal with values of snow water equivalent ranging from 78 percent of normal at Blackstone to 104 percent of normal at Ogilvie. A basin wide average has been estimated to be 91 percent of normal.



Mean monthly streamflow for March as indicated by the Peel River above Canyon Creek station was 137 percent of normal. Peel River volume and peak flow forecasts are not available at this time.



PORCUPINE RIVER BASIN

Snowpack conditions in the Porcupine River watershed are below normal with values of snow water equivalent ranging from 87 percent of normal at Eagle River to 103 percent of normal at Old Crow. A basin wide average has been estimated to be 93 percent of normal.

Mean March streamflow for the basin as indicated by the Porcupine River near the International Boundary is 101 percent of normal. Porcupine River volume and peak flow forecasts are not available at this time.



Drainage Basin and Snow Course

For Sample Date: 2010-04-01

| Name | Number | Elev (m) | Date of Survey | This Year | | Water Content | | |
|--------------------------|------------|-------------|-------------------|-----------------------|--------------------------|----------------------|-----------------|------------------|
| | | | | Snow Depth (cm) | Water Content (mm) | Last Year (mm) | Average (mm) | Yrs of Rec |
| Alsek River Basin | | | | | | | | |
| Canyon Lake | 08AA-SC01 | 1160 | 3/29/2010 | 53 | 109 | 149 | 93 | 31 |
| Alder Creek | 08AA-SC02 | 768 | 3/27/2010 | 60 | 136 | 303 | 160 | 30 |
| Aishihik Lake | 08AA-SC03 | 945 | 3/29/2010 | 34 | 72 | 140 | 76 | 16 |
| Haines Junction Farm | 08AA-SC4 | 610 | 3/29/2010 | 49 | 102 | 143 | 103 | 10 |
| Clay Creek | 08AB-SC02 | 670 | 3/31/2010 | 171 | 622 | 978 | 612 | 31 |
| Summit | 08AB-SC03 | 1000 | 3/29/2010 | 119 | 322 | 327 | 265 | 30 |
| Profile Mountain | 08AB-SC04 | 900 | 3/31/2010 | 136 | 372 | 352 | 311 | 23 |
| Yukon River Basin | | | | | | | | |
| Tagish | 09AA-SC01 | 1080 | 3/28/2010 | 74 | 179 | 203 | 146 | 34 |
| Montana Mountain | 09AA-SC02 | 1020 | 3/30/2010 | 67 | 144 | 176 | 141 | 33 |
| Log Cabin (B.C.) | 09AA-SC03 | 884 | 3/30/2010 | 141 | 428 | 536 | 371 | 50 |
| Atlin (B.C.) | 09AA-SC04 | 730 | 3/28/2010 | 49 | 116 | 155 | 124 | 45 |
| Mt McIntyre B | 09AB-SC01B | 1097 | 3/26/2010 | 83 | 190 | 225 | 152 | 34 |
| Whitehorse Airport | 09AB-SC02 | 700 | 4/1/2010 | 40 | 71 | 222 | 103 | 43 |
| Meadow Creek | 09AD-SC01 | 1235 | 3/29/2010 | 123 | 320 E | 392 | 277 | 33 |
| Jordan Lake | 09AD-SC02 | 930 | 3/31/2010 | 65 | 139 | 205 | 140 | 23 |
| Morley Lake | 09AE-SC01 | 824 | 3/30/2010 | 48 | 100 | 190 | 157 | 22 |
| Mount Berdoe | 09AH-SC01 | 1035 | 3/29/2010 | 68 | 122 | 133 | 106 | 34 |
| Satasha Lake | 09AH-SC03 | 1106 | 3/29/2010 | 57 | 108 | 148 | 99 | 23 |
| Williams Creek | 09AH-SC04 | 914 | 3/29/2010 | 59 | 122 | 152 | 96 | 15 |
| Twin Creeks | 09BA-SC02 | 900 | 3/30/2010 | 63 | 102 | 226 | 192 | 32 |
| Hoole River | 09BA-SC03 | 1036 | 3/31/2010 | 67 | 139 | 224 | 136 | 33 |
| Burns Lake | 09BA-SC04 | 1112 | 3/31/2010 | 77 | 163 | 306 | 223 | 24 |
| Finlayson Airstrip | 09BA-SC05 | 988 | 3/31/2010 | 45 | 82 | 164 | 108 | 23 |
| Fuller Lake | 09BB-SC03 | 1126 | 3/30/2010 | 82 | 199 | 222 | 199 | 24 |
| Russell Lake | 09BB-SC04 | 1060 | 3/30/2010 | 82 | 163 | 264 | 232 | 23 |
| Rose Creek | 09BC-SC01 | 1080 | 3/29/2010 | 50 | 102 | 146 | 103 | 16 |
| Mount Nansen | 09CA-SC01 | 1021 | 3/29/2010 | 55 | 110 | 110 | 77 | 34 |
| MacIntosh | 09CA-SC02 | 1160 | 3/29/2010 | 64 | 132 | 132 | 98 | 34 |
| Burwash Airstrip | 09CA-SC03 | 810 | 3/26/2010 | 28 | 47 | 58 | 43 | 33 |
| Duke River | 09CA-SC05 | 1310 | 3/31/2010 | 57 | 68 | 133 | 106 | 24 |
| Beaver Creek | 09CB-SC01 | 655 | 3/26/2010 | 46 | 82 | 156 | 85 | 35 |
| Chair Mountain | 09CB-SC02 | 1067 | 3/26/2010 | 52 | 85 | 186 | 97 | 21 |
| White River | 09CB-SC03 | 823 | No Surv | | | N.S. | 76 | 5 |
| Casino Creek | 09CD-SC01 | 1065 | 3/29/2010 | 67 | 128 | 188 | 127 | 32 |
| Pelly Farm | 09CD-SC03 | 472 | 3/28/2010 | 31 | 38 | 100 | 78 | 24 |

Printed on 09 Apr 2010 from the Environment Yukon Snow Survey System
Code "E" - Estimate, Code "B" - Survey date is outside of valid sampling range

Page 1 of 2

Drainage Basin and Snow Course

For Sample Date: 2010-04-01

| Name | Number | Elev (m) | Date of Survey | This Year | | Water Content | | |
|------------------------------|------------|-------------|-------------------|-----------------------|--------------------------|----------------------|-----------------|------------------|
| | | | | Snow Depth (cm) | Water Content (mm) | Last Year (mm) | Average (mm) | Yrs of Rec |
| Yukon River Basin | | | | | | | | |
| Plata Airstrip | 09DA-SC01 | 830 | 3/30/2010 | 69 | 110 | 193 | 191 | 32 |
| Arrowhead Lake | 09DA-SC02 | 1120 | 3/30/2010 | 72 | 159 | N.S. | 198 | 17 |
| Withers Lake | 09DB-SC01 | 975 | 3/30/2010 | 84 | 190 | 253 | 236 | 24 |
| Rackla Lake | 09DB-SC02 | 1040 | 3/30/2010 | 83 | 170 | 190 | 195 | 23 |
| Mayo Airport A | 09DC-SC01A | 540 | No Surv | | | 128 | 96 | 41 |
| Mayo Airport B | 09DC-SC01B | 540 | 3/29/2010 | 41 | 54 | 129 | 106 | 23 |
| Edwards Lake | 09DC-SC02 | 830 | 3/30/2010 | 60 | 122 | 191 | 165 | 23 |
| Calumet | 09DD-SC01 | 1310 | 3/29/2010 | 77 | 154 | 242 | 199 | 31 |
| King Solomon Dome | 09EA-SC01 | 1080 | 3/31/2010 | 71 | 141 | 188 | 160 | 35 |
| Grizzly Creek | 09EA-SC02 | 975 | 3/31/2010 | 78 | 174 | 179 | 178 | 34 |
| Midnight Dome | 09EB-SC01 | 855 | 3/30/2010 | 72 | 160 | 172 | 146 | 35 |
| Boundary (Alaska) | 09EC-SC02 | 1005 | 4/3/2010 | 53 | 104 | 190 | 136 | 40 |
| Porcupine River Basin | | | | | | | | |
| Riff's Ridge | 09FA-SC01 | 650 | No Surv | | | 156 | 144 | 23 |
| Eagle Plains | 09FB-SC01 | 710 | 3/31/2010 | 81 | 150 | 162 | 165 | 26 |
| Eagle River | 09FB-SC02 | 340 | 3/31/2010 | 66 | 119 | 128 | 137 | 26 |
| Old Crow | 09FD-SC01 | 299 | 3/30/2010 | 62 | 118 | 171 | 115 | 28 |
| Liard River Basin | | | | | | | | |
| Watson Lake Airport | 10AA-SC01 | 685 | 3/29/2010 | 62 | 150 | 244 | 137 | 45 |
| Tintina Airstrip | 10AA-SC02 | 1067 | 3/31/2010 | 87 | 186 | 323 | 206 | 32 |
| Pine Lake Airstrip | 10AA-SC03 | 995 | 3/30/2010 | 84 | 210 E | 308 | 228 | 34 |
| Ford Lake | 10AA-SC04 | 1110 | 3/31/2010 | 83 | 159 | 315 | 198 | 23 |
| Frances River | 10AB-SC01 | 730 | 3/29/2010 | 57 | 143 | 292 | 161 | 35 |
| Hyland River | 10AD-SC01 | 855 | 3/30/2010 | 72 | 194 | 275 | 172 | 33 |
| Peel River Basin | | | | | | | | |
| Blackstone River | 10MA-SC01 | 920 | 3/31/2010 | 51 | 83 | 145 | 106 | 34 |
| Ogilvie River | 10MA-SC02 | 595 | 3/31/2010 | 67 | 110 | 125 | 106 | 33 |
| Bonnet Plume Lake | 10MB-SC01 | 1120 | 3/30/2010 | 72 | 147 | 163 | 185 | 23 |
| Alaska Snow Courses | | | | | | | | |
| Eaglecrest | 08AK-SC01 | 305 | 3/30/2010 | 124 | 493 | 764 | 490 | 22 |
| Moore Creek Bridge | 08AK-SC02 | 700 | 3/31/2010 | 180 | 574 | 655 | 555 | 18 |

Printed on 09 Apr 2010 from the Environment Yukon Snow Survey System
Code "E" - Estimate, Code "B" - Survey date is outside of valid sampling range

Page 2 of 2

INDEX OF YUKON SNOW COURSES 2009

| NAME | NUMBER | ELEVATION (m) | LATITUDE | LONGITUDE | AGENCY |
|--------------------------|-----------|---------------|----------|-----------|--------|
| YUKON RIVER BASIN | | | | | |
| Tagish | 09AA-SC1 | 1080 | 60°17' | 134°11' | 2 |
| Montana Mountain | 09AA-SC2 | 1020 | 60°08' | 134°44' | 2 |
| Log Cabin (B.C.) | 09AA-SC3 | 884 | 59°46' | 134°58' | 2 |
| Atlin (B.C.) | 09AA-SC4 | 730 | 59°34' | 133°42' | 3 |
| Mt. McIntyre (B) | 09AB-SC1B | 1097 | 60°39' | 135°08' | 1 |
| Whitehorse Airport | 09AB-SC2 | 700 | 60°42' | 135°04' | 1 |
| Meadow Creek | 09AD-SC1 | 1235 | 60°35' | 133°05' | 2 |
| Jordan Lake | 09AD-SC2 | 930 | 60°52' | 132°50' | 1 |
| Morley Lake | 09AE-SC1 | 824 | 60°00' | 132°07' | 2 |
| Mount Berdoe | 09AH-SC1 | 1035 | 62°02' | 136°14' | 2 |
| Satasha Lake | 09AH-SC3 | 1106 | 61°29' | 136°16' | 2 |
| Williams Creek | 09AH-SC4 | 914 | 60°21' | 136°43' | 2 |
| Twin Creeks | 09BA-SC2 | 900 | 62°37' | 131°16' | 1 |
| Hoole River | 09BA-SC3 | 1036 | 61°32' | 131°36' | 1 |
| Burns Lake | 09BA-SC4 | 1112 | 62°17' | 129°57' | 1 |
| Finlayson Airstrip | 09BA-SC5 | 988 | 61°42' | 130°46' | 1 |
| Fuller Lake | 09BB-SC3 | 1126 | 62°58' | 130°46' | 1 |
| Rose Creek | 09BC-SC01 | 1080 | 62°20' | 133°23' | 1 |
| Russell Lake | 09BB-SC4 | 1060 | 63°12' | 133°29' | 1 |
| Mount Nansen | 09CA-SC1 | 1021 | 62°02' | 137°03' | 2 |
| MacIntosh | 09CA-SC2 | 1160 | 61°43' | 137°20' | 2 |
| Burwash Airstrip | 09CA-SC3 | 810 | 61°23' | 139°03' | 2 |
| Duke River | 09CA-SC5 | 1310 | 61°15' | 138°59' | 6 |
| Beaver Creek | 09CB-SC1 | 655 | 62°25' | 140°51' | 2 |
| Chair Mountain | 09CB-SC2 | 1067 | 62°04' | 140°48' | 2 |
| White River | 09CB-SC3 | 823 | 61°55' | 140°32' | 2 |
| Casino Creek | 09CD-SC1 | 1065 | 62°44' | 138°48' | 2 |
| Pelly Fam | 09CD-SC3 | 472 | 62°50' | 137°20' | 8 |
| Plata Airstrip | 09DA-SC1 | 830 | 63°31' | 132°03' | 1 |
| Arrowhead Lake | 09DA-SC2 | 1120 | 63°42' | 131°10' | 1 |
| Withers Lake | 09DB-SC1 | 975 | 63°59' | 132°18' | 1 |
| Rackla Lake | 09DB-SC2 | 1040 | 64°17' | 133°15' | 1 |
| Mayo Airport (A) | 09DC-SC1A | 540 | 63°38' | 135°53' | 2 |
| Mayo Airport (B) | 09DC-SC1B | 540 | 63°38' | 135°53' | 2 |
| Edwards Lake | 09DC-SC2 | 830 | 63°42' | 134°18' | 1 |
| Calumet | 09DD-SC1 | 1310 | 63°55' | 135°24' | 2 |
| King Solomon Dome | 09EA-SC1 | 1080 | 63°52' | 138°56' | 2 |
| Grizzly Creek | 09EA-SC2 | 975 | 64°26' | 138°16' | 2 |
| Boundary (Alaska) | 09EC-SC2 | 1005 | 64°05' | 141°27' | 4 |
| Midnight Dome | 09EB-SC1 | 855 | 64°04' | 139°24' | 2 |

| NAME | NUMBER | ELEVATION (m) | LATITUDE | LONGITUDE | AGENCY |
|------------------------------|----------|---------------|----------|-----------|--------|
| LIARD RIVER BASIN | | | | | |
| Watson Lake Airport | 10AA-SC1 | 685 | 60°07' | 128°50' | 2 |
| Tintina Airstrip | 10AA-SC2 | 1067 | 61°05' | 131°15' | 1 |
| Pine Lake Airstrip | 10AA-SC3 | 995 | 60°06' | 130°56' | 2 |
| Ford Lake | 10AA-SC4 | 1110 | 60°47' | 131°28' | 1 |
| Frances River | 10AB-SC1 | 730 | 60°35' | 129°11' | 2 |
| Hyland River | 10AD-SC1 | 855 | 61°31' | 128°16' | 2 |
| ALSEK RIVER BASIN | | | | | |
| Canyon Lake | 08AA-SC1 | 1160 | 61°07' | 136°59' | 7 |
| Alder Creek | 08AA-SC2 | 768 | 60°22' | 137°06' | 6 |
| Aishihik Lake | 08AA-SC3 | 945 | 61°12' | 137°00' | 7 |
| Haines Junction Farm | 08AA-SC4 | 610 | 60°45' | 137°34' | 2 |
| Clay Creek | 08AB-SC2 | 670 | 60°09' | 137°56' | 6 |
| Summitt | 08AB-SC3 | 1000 | 60°51' | 137°47' | 2 |
| Profile Mountain | 08AB-SC4 | 900 | 60°38' | 137°56' | 6 |
| PEEL RIVER BASIN | | | | | |
| Blackstone River | 10MA-SC1 | 920 | 64°57' | 138°15' | 2 |
| Ogilvie River | 10MA-SC2 | 595 | 65°21' | 138°18' | 2 |
| Bonnet Plume Lake | 10MB-SC1 | 1120 | 64°18' | 132°00' | 1 |
| PORCUPINE RIVER BASIN | | | | | |
| Riff's Ridge | 09FA-SC1 | 650 | 65°57' | 137°22' | 2 |
| Eagle Plains | 09FB-SC1 | 710 | 66°22' | 136°44' | 2 |
| Eagle River | 09FB-SC2 | 340 | 66°27' | 136°43' | 2 |
| Old Crow | 09FD-SC1 | 299 | 67°34' | 139°51' | 5 |
| ALASKA SNOW COURSES | | | | | |
| Eaglecrest | 34J03 | 305 | 58°17' | 134°32' | 4 |
| Moore Creek Bridge | 34K02 | 701 | 59°31' | 135°15' | 4 |

Numbers refer to Agencies cooperating in the Yukon Snow Surveys:

1. Department of Environment, Government of Yukon
2. Dept of Energy Mines and Resources Yukon
3. British Columbia Ministry of Environment
4. USDA Natural Resources Conservation Service
5. Yukon Transportation and Highways
6. Parks Canada
7. Yukon Energy Corp.
8. Private Contract